PIG® Poly IBC Spill Containment Pallet

#PAK735 - Holds 1 IBC • Use With IBCs • 360 gal. Sump Capacity







You can't buy a stronger pallet to store your totes in compliance. PIG is the toughest on the market.

- •
- Strong enough for long-term storage of IBCs, this innovative design transfers weight to load bearing channels to maximize capacity
- Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep storage areas clean
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating holds a variety of IBC sizes; lifts out for easy access to sump
- Low profile for easy access to and dispensing from IBC tanks
- Two-way forklift entry allows movement from either direction when not loaded

PAK735 Product Option Information

Item #	Description	Dimensions	Weight
PAK735-BK-WD	Black, With Drain	63" W x 63" L x 27" H	419 lbs.
PAK735-BK-WOD	Black, Without Drain	63" W x 63" L x 27" H	419 lbs.

Metric Equival	ent Description	Dimensions	Weight
PAK735-BK-WD	Black, With Drain	160cm W x 160cm L x 68.6cm H	190.1 kg
PAK735-BK-WOD	Black, Without Drain	160cm W x 160cm L x 68.6cm H	190.1 kg

PAK735 Specifications

Recycled Content: 27.3% Post-Industrial Recycled Polyethylene

Load Capacity UDL: 8000 lbs. Sump Capacity: 360 gal.

Containment Type: Containment Pallet

Double-Stackable Unit: No

Drain: Optional Drain

Fork Truck Access: Two-Way Fork Access, Move Unloaded Only

Grates: (2) 52" L x 26" W Grates

Groundable for Flammables: No
Number of Containers: 1 IBCs
Type of Container: 1 each
per Pallet: 3

Composition: Polyethylene UNSPSC: 24101905

PAK735 Metric Equivalent

Load Capacity UDL: 3628.8 kg Sump Capacity: 1362.6 L

Technical Information

Warnings & Restrictions:

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

Regulations and Compliance:

40 CFR 264.175 - Hazardous waste containment systems must be free of structural cracks or gaps, be designed to keep spilled liquids from remaining in contact with the container, prevent run-on and "have sufficient capacity to contain 10% of the volume of the containers, or the volume of the largest container, whichever is greater."

40 CFR 122.26 - When applying for a National Pollutant Discharge Elimination System (NPDES) permit, facilities must have a plan in place that describes actions, procedures, control techniques, management practices and equipment available to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7 - SPCC planning requirements state that facilities subject to these regulations must have written plans in place discussing the products, countermeasures and procedures that are in place, or will be taken by the facility to prevent discharge of oil into waters of the United States.

Technical Documents:

(Available at newpig.com/International)

Product Data Sheet (PDS)
Chemical Compatibility (CCG)





PAK735 Accessories

You might like... Item Number



Support Plates for PIG® IBC Spill Containment Units

PAK1008



Bucket Shelf for PIG® Poly IBC Spill Containment

PAK1011



By Phone: +1-814-684-0133

Pallet

Online: newpig.com/International

Email: hothogs@newpig.com