

# PIG® Flammable Storage Safety Cabinet

CAB912 Self-Closing Door Style, Holds 45 gal., 43" x 18" x 66.375"

Store flammable materials in this large flammable-safety cabinet.

- Confidently store large amounts of flammable materials safely.
- FM-Approved for flammable storage and meets NFPA and OSHA specifications.
- Large frame holds up to 45 gallons of flammable materials.
- Powder coating resists chemicals and corrosion; store indoors.
- Self-closing door's three-point zinc latch is fail-safe and non-sparking.
- Prop open door with fusible link for convenience; link melts at 165° F in case of fire.
- Door lock is built in and includes keys; also accepts separate locks (not included).
- Flame arrestor vents, grounding connection and air-insulated double wall minimize fire risks, including ignition flashback and static build-up.
- Hold 270 lbs. UDL per full-width shelf on welded shelf hangers.
- Leakproof sump makes flammable liquid storage even safer by capturing drips and spills.
- Lifetime guarantee to replace or refund this MIG-welded 18-gauge steel cabinet.



Item#	Description	Dimensions	Weight
CAB912-YW		43" W x 18" D x 66.375" H	410 lbs.

## Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB912-YW		109cm W x 46cm D x 169cm H	186 kg

## Specifications

Style	Standard
Use With	Flammables
Dimensions	43" W x 18" D x 66.375" H

<b>Brand</b>	PIG
<b>Capacity</b>	45 gal.
<b>Category</b>	Flammable Safety Cabinet
<b>Door Style</b>	Self-Closing
<b>Interior Dimensions</b>	40" W x 14.3125" D x 61.1875" H
<b>Locking Mechanism</b>	Keyed (2 Included); Padlockable (Padlock Not Included)
<b>Number of Shelves</b>	2
<b>Shelves</b>	Adjustable
<b>Use With Flammables</b>	Yes
<b>Sold as</b>	1 each
<b>Weight</b>	410 lbs.
<b># per Pallet</b>	1
<b>Composition</b>	Cabinet - Steel Shelf - Galvanized Steel
<b>UNSPSC</b>	24112402
<b>Pigalog® Page Number</b>	<u><a href="#">Page 335</a></u>

## Metric Equivalent

<b>Weight</b>	186 kg
<b>Dimensions</b>	109cm W x 46cm D x 169cm H

## Technical Information

### CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

### Certifications, Approvals and Ratings

FM Approved, NFPA Code 30

### Technical Documents

[Dimensions for CAB912](#)

[Instructions for PIG Flammable Safety Cabinet](#)

[29 CFR 1910.106\(d\)\(3\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

