

PIG® Oil-Only Spill Kit in 20-Gallon Overpack Salvage Drum

KIT411-01 Each absorbs up to 12.5 gal., Absorbs Oils; Fuels; Oil-Based Liquids (Not Water), UN1H2/X46/S

Strong enough to earn a UN rating for shipping spill cleanup waste.



- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for oil-based spills
- Overpack drum container is UN Rated for shipping waste after oil spill cleanup
- Neatly prepacked container speeds access during a spill emergency
- PIG Oil-Only Booms stop spreading spills; PIG Stat-Mat and Pillows absorb quickly
- Absorbents meet ANSI and MIL-SPEC standards for static decay to allow use with fuels and flammables
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polypropylene container resists chemicals and keeps contents clean and dry
- Two broom holes 180-degrees opposite each other on the lid allow 100% positive leverage for easy opening and closing with a broom handle or bar
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift; foot hold in the drum base allows you to hold the drum securely in position while opening or closing the lid
- Apply a tamperproof seal to alignment holes on lid and drum to ensure contents aren't disturbed
- Features enhanced lid and base design for added strength and security for stacking or if the drum is accidentally dropped
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG Absorbents - the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate

Specifications

Absorbency Range	10 - 19.9 gal.
Dimensions	ext. dia. 23" x 19" H
Absorbency	Up to 12.5 gal.
Brand	PIG
Caster/Wheel Included	Not Applicable
Container Type	Overpack
Color	White
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)
High Visibility	No
See-Through	No
UV Resistant	Yes
Sold as	1 each
Weight	26 lbs.
# per Pallet	12
Composition	Container: Injection Molded Copolymer Polypropylene Mats: Polypropylene Booms: Co-Poly Outer Skin and Polypropylene Inner Skin and Filler Pillows: Polyester Mesh and Polypropylene
Includes	2 - ext. dia. 8" x 18" L PIG® Sump Skimmer (SKM403) 12 - 15" W x 20" L PIG® STAT-MAT® Absorbent Pad (MAT214) 3 - ext. dia. 3" x 10' L PIG® Oil-Only Absorbent Boom (BOM406) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 1 - Instructions 1 - ext. dia. 23" x 19" H PIG® Overpack Salvage Drum (PAK708-WH)
UNSPSC	47131905
Pigalog® Page Number	Page 94

Metric Equivalent

Absorbency	Up to 47.3 L
Weight	11.8 kg
Dimensions	ext. dia. 58cm x 48cm H

Technical Information

UN1H2/X46/S

Technical Documents

LDPE Products

PIG Spill Kits

Instructions for Overpack Containers

Instructions for PIG Spill Kits

White paper – Spills Happen. 10 Things you need to know about Spill Kits

Technical Data Sheet for PIG® Oil Only Absorbents

29 CFR 1910.120(j)(1)(vii)

40 CFR 112.7

40 CFR 263.30(a)

40 CFR 263.31

49 CFR 173.3(c)(1)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com